

PUBLICAÇÕES EM PERIÓDICOS CIENTÍFICOS PELOS PESQUISADORES DO PROGRAMA DE PÓS-GRADUAÇÃO EM PSICOBIOLOGIA E DO DEPARTAMENTO DE PSICOBIOLOGIA - 2017

1. Albuquerque RG, Hirotsu C, Tufik S, Andersen ML. Letter for publication: Why should we care about selenium in obstructive sleep apnea? *J Clin Sleep Med*. 2017;13(7):931-2. doi: 10.5664/jcsm.6674
2. Almeida SS, Corgosinho FC, Amorim CE, Gregnani MF, Campos RM, Masquio DC, Sanches PL, Ganen AP, Pesquero JB, Dâmaso AR, Mello MT, Tufik S, Araújo RC. Different metabolic responses induced by long-term interdisciplinary therapy in obese adolescents related to ACE I/D polymorphism. *J Renin Angiotensin Aldosterone Syst*. 2017;18(2):1470320317703451. doi: 10.1177/1470320317703451
3. Alves ES, Santos RV, Ruiz FS, Lira FS, Almeida AA, Lima G, Goni TC, Oyama L, Edwards KM, Tufik S, De Mello MT. Physiological and lipid profile response to acute exercise at different intensities in individuals with spinal cord injury. *Spinal Cord Ser Cases*. 2017;3:17037. doi: 10.1038/scsandc.2017.37.
4. Alves MVC, Bueno OFA. Retroactive interference: forgetting as an interruption of memory consolidation. *Trends Psychol*. 2017;25(3):1043-54. Doi: 10.9788/TP2017.3-07En
5. Amaral Junior R, Frange C, Tempaku PF, Tufik S, Andersen ML. Dopaminergic pathways for bruxism: a way forward? *Clin Oral Investig*. 2017;21(9):2875-6. doi: 10.1007/s00784-017-2250-8.
6. Banzoli CV, Bezerra AG, Tufik S, Hachul H. To the editor. *Menopause*. 2017;24(6):714. Doi: 10.1097/GME.0000000000000868
7. Bedendo A, Andrade ALM, Opaleye ES, Noto AR. Binge drinking: a pattern associated with a risk of problems of alcohol use among university students. *Rev Lat Am Enfermagem*. 2017;25:e2925. doi: 10.1590/1518-8345.1891.2925.
8. Berro LF, Andersen ML, Tufik S, Howell LL. GABAA receptor positive allosteric modulators modify the abuse-related behavioral and neurochemical effects of methamphetamine in rhesus monkeys. *Neuropharmacology*. 2017;123:299-309. doi: 10.1016/j.neuropharm.2017.05.010
9. Berro LF, Andersen ML, Howell LL. Assessment of tolerance to the effects of methamphetamine on daytime and nighttime activity evaluated with actigraphy in rhesus monkeys. *Psychopharmacology*. 2017;234(15):2277-87. Doi: 10.1007/s00213-017-4654-1
10. Berti PH, Araujo P, Tufik S, Andersen ML. Impact of sleep disorders in cognitive function of thyroid cancer survivors. *Support Care Cancer*. 2017;25(9):2675-2676. doi: 10.1007/s00520-017-3765-x.

11. Bittencourt S, Ferrazoli E, Valente MF, Romariz S, Janisset NRLL, Macedo CE, Antonio BB, Barros V, Mundim M, Porcionato M, Aarão MC, Miranda MF, Rodrigues AM, de Almeida AG, Longo BM, Mello LE. Modification of the natural progression of epileptogenesis by means of biperiden in the pilocarpine model of epilepsy. *Epilepsy Res.* 2017;138:88-97. doi:10.1016/j.eplepsyres.2017.10.019.
12. Bueno VF, da Silva MA, Alves TM, Louzã MR, Pompéia S. Fractionating Executive Functions of Adults With ADHD. *J Atten Disord.* 2017;21(11):944-55. Doi: 10.1177/1087054714545537
13. Cabañas-Pedro AC, Roizenblatt S, de Souza AAL, Tufik S, Figueiredo MS. Periodic limb movement in sleep and sickle cell disease: a neglected association? *Br J Haematol.* 2017;179(1):154-7. doi: 10.1111/bjh.14811
14. Campos RM, Masquio DC, Corgosinho FC, De Lima Sanches P, De Piano A, Carnier J, Da Silva PL, Clemente AP, Vicente SE, Oyama LM, Do Nascimento CM, Tock L, Tufik S, De Mello MT, Damaso AR. Homeostasis Model Assessment-Adiponectin: the role of different types of physical exercise in obese adolescents. *J Sports Med Phys Fitness.* 2017;57(6):831-8. DOI: 10.23736/S0022-4707.16.06235-6
15. Campos RMS, Oyama LM, Masquio DCL, Vicente SECF, Corgosinho FC, Kravchychyn ACP, Tock L, Tufik S, De Mello MT, Dâmaso AR. The role of insulin resistance on FGF-21 and inflammatory markers in obese adolescents undergoing multicomponent long-term weight loss therapy. *Eur Med J.* 2017;2(4):97-105.
16. Caris AV, Da Silva ET, Dos Santos SA, Tufik S, Dos Santos RVT. Effects of Carbohydrate and Glutamine Supplementation on Oral Mucosa Immunity after Strenuous Exercise at High Altitude: A Double-Blind Randomized Trial. *Nutrients.* 2017;9(7):E692. doi: 10.3390/nu9070692.
17. Coelho FM, Castro LH, Fukujima MM, Adoni T, Rieder CRM, Bichuetti DB, Prado GFD, Gagliardi RJ. Brazilian Academy of Neurology (2006 – 2016). *Arq Neuropsiquiatr.* 2017;75(9):635-8. doi: 10.1590/0004-282X20170095
18. Coelho LF, Barbosa DLF, Rizzutti S, Bueno OFA, Miranda MC. Group cognitive behavioral therapy for children and adolescents with ADHD. *Psicol Reflex Crít.* 2017;30:11. DOI 10.1186/s41155-017-0063-y
19. Corgosinho FC, Almeida SS, Tock L, Pesquero JB, Araújo RC, Clemente APG, Dal'Molin Netto B, da Silveira Campos RM, Masquio DCL, de Carvalho Ferreira JP, de Lima Sanches P, de Piano Ganen A, Rogero MM, Oyama LM, Tufik S, de Mello MT, Dâmaso AR. LEPR polymorphism may affect energy balance during weight loss among Brazilians obese adolescents. *Neuropeptides.* 2017;66:18-24. doi 10.1016/j.npep.2017.07.007
20. Costa PRF, Kinra S, D'Almeida V, Oliveira AM. Serum homocysteine and cysteine levels and associated factors in children and adolescents. *Nutr Clin Diet Hosp.* 2017;37(1):106-16. Doi: 10.12873/371ribasdefarias
21. Cremaschi RC, Hirotsu C, Tufik S, Coelho FM. Narcolepsy type 1 and type 2 - a 10-year follow-up: body mass index and comorbidities. *Sleep Med.* 2017;32:285-286. doi: 10.1016/j.sleep.2016.12.003.

22. Cunha TCA, Guimarães TM, Schultz TCB, Almeida FR, Cunha TM, Simamoto PC Junior, Bittencourt LRA. Predictors of success for mandibular repositioning appliance in obstructive sleep apnea syndrome. *Braz Oral Res.* 2017 Jun 5;31:e37. doi: 10.1590/1807-3107BOR-2017.vol31.0037
23. Curiati MA, Aranda CS, Kyosen SO, Varela P, Pereira VG, D'Almeida V, Pesquero JB, Martins AM. The challenge of diagnosis and indication for treatment in Fabry Disease. *J Inborn Errors Metab Screen.* 2017;5:1-7. DOI: 10.1177/2326409816685735
24. Danucalov MA, Kozasa EH, Afonso RF, Galduróz JC, Leite JR. Yoga and compassion meditation program improve quality of life and self-compassion in family caregivers of Alzheimer's disease patients: A randomized controlled trial. *Geriatr Gerontol Int.* 2017;17(1):85-91. doi: 10.1111/ggi.12675
25. De Melo CM, Taranto-Montemurro L, Butler JP, White DP, Loring SH, Azarbarzin A, Marques M, Berger PJ, Wellman A, Sands SA. Stable breathing in patients with obstructive sleep apnea is associated with increased effort but not lowered metabolic rate. *Sleep.* 2017;40(10). doi: 10.1093/sleep/zsx128
26. De Souza JFT, Dáttilo M, de Mello MT, Tufik S, Antunes HKM. High-intensity interval training attenuates insulin resistance induced by sleep deprivation in healthy males. *Front. Physiol.* 2017;8:992. doi: 10.3389/fphys.2017.00992
27. Del Re MP, Melo CM, Santos MV, Tufik S, Mello MT. Applicability of predictive equations for resting energy expenditure in obese patients with obstructive sleep apnea. *Arch Endocrinol Metab.* 2017;61(3):257-62. Doi: 10.1590/2359-3997000000228
28. Delattre AM, Carabelli B, Mori MA, Kempe PG, Rizzo de Souza LE, Zanata SM, Machado RB, Suchecki D, Andrade da Costa BL, Lima MM, Ferraz AC. Maternal Omega-3 Supplement Improves Dopaminergic System in Pre- and Postnatal Inflammation-Induced Neurotoxicity in Parkinson's Disease Model. *Mol Neurobiol.* 2017;54(3):2090-196. Doi: 10.1007/s12035-016-9803-8
29. Diaféria G, Santos-Silva R, Truksinas E, Haddad FL, Santos R, Bommarito S, Gregório LC, Tufik S, Bittencourt LRA. Myofunctional therapy improves adherence to continuous positive airway pressure treatment. *Sleep Breath.* 2017;21(2):387-95. Doi: 10.1007/s11325-016-1429-6
30. Favoretto CA, Macedo GC, Quadros IM. Effects of ethanol on social avoidance induced by chronic social defeat stress in mice. *Stress.* 2017;20(1):68-74. DOI: 10.1080/10253890.2017.1280667.
31. Felix RH, Almeida CB, Cremaschi RC, Coelho FM, Santos FC. Pain-induced depression is related to overestimation of sleep quality in a very elderly population with pain. *Arq Neuropsiquiatr.* 2017;75(1):25-29. doi: 10.1590/0004-282X20160186
32. Fernandes GB, Cremaschi RC, Tufik S, Coelho FM. Grey zone between narcolepsy type 1 and type 2. *Arq Neuropsiquiatr.* 2017;75(9):682-3. doi: 10.1590/0004-282X20170106.
33. Fernandes GB, Cremaschi RC, Poyares D, Tufik S, Coelho FM. Prevalence of nocturnal sleep onset rapid movement sleep period (SOREMP) in narcolepsy type 1 and type 2. *Sleep Med.* 2017; Oct;38:162-3. doi: 10.1016/j.sleep. 2017.08.004.

34. Fernandes GL, Araujo P, Tufik S, Andersen ML. The role of IL-6 and STAT in sleep and neuroinflammation (Letter to the Editor). *Clin Immunol.* 2017;180:58-9. Doi: 10.1016/j.clim.2017.04.004
35. Ferreira LBT, Oliveira SLB, Raya J, Esumi LA, Hipólido DC. Bombesin administration impairs memory and does not reverse memory déficit caused by sleep deprivation. *Behav Brain Res.* 2017;331:20-4. doi: 10.1016/j.bbr.2017.05.027.
36. Ferri CP, Jacob KS. Dementia in low-income and middle-income countries: Different realities mandate tailored solutions. *PLoS Med.* 2017;14(3):e1002271. doi: 10.1371/journal.pmed.1002271.
37. Frange C, Naufel MF, Andersen ML, Beraldi E, Girão MJBC, Tufik S, Hachul H. Impact of insomnia on pain in postmenopausal women. *Climacteric.* 2017;20(3):262-7. DOI: 10.1080/13697137.2017.1309381.
38. Frange C, Alves J, Andersen ML, Tufik S, Hachul H. More sleep? An adaptive response to control pain after traumatic brain injury: Comments on article titled "Individuals with pain need more sleep in the early stage of mild traumatic brain injury". *Sleep Med.* 2017;37:218. doi: 10.1016/j.sleep.2017.07.002.
39. Galanjauskas H, Araujo P, Tufik S, Andersen ML. Sleep disturbance as a stressor event in elderly's life. *Neurobiol Aging.* 2017 Dec;60:203-4. doi: 10.1016/j.neurobiolaging.2017.08.018.
40. Gebara CFP, Ferri CP, Bona FMC, Vieira MT, Lourenço LM, Noto AR. Psychosocial factors associated with mother-child violence: a household survey. *Soc Psychiatry Psychiatr Epidemiol.* 2017;52(1):77-86. Doi: 10.1007/s00127-016-1298-0
41. Giampá SQC, Mônico-Neto M, Souza HS, De Mello MT, Tufik S, Portes LA, Serra AJ, Tucci PJF, Antunes HKM. Effect of resistance training on myocardial contractility in vitro after sleep deprivation. *Int J Cardiovasc Sci.* 2017;30(1):20-31. Doi: 10.5935/2359-4802.20170019
42. Gilchrist G, Radcliffe P, Noto AR, d'Oliveira AF. The prevalence and factors associated with ever perpetrating intimate partner violence by men receiving substance use treatment in Brazil and England: A cross-cultural comparison. *Drug Alcohol Rev.* 2017;36(1):34-51. Doi: 10.1111/dar.12436
43. Ginani GE, Pradella-Hallinan M, Pompéia S. Identification of emotional expressiveness in facial photographs over 36 h of extended vigilance in healthy young men-a preliminary study. *Cognit Emot.* 2017;31(2):339-48. Doi: 10.1080/02699931.2015.1121863
44. Godoy LBM, Palombini L, Poyares D, Dal Fabbro C, Guimarães TM, Klichovicz PC, Tufik S, Togeiro SM. Long term oral appliance therapy improves daytime function and mood in Upper Airway Resistance Syndrome patients. *Sleep.* 2017;40(12):zsx175. doi: 10.1093/sleep/zsx175
45. Gonçalves-Pereira M, Cardoso A, Verdelho A, Alves da Silva J, Caldas de Almeida M, Fernandes A, Raminhos C, Ferri CP, Prina AM, Prince M, Xavier M. The prevalence of dementia in a Portuguese community sample: a 10/66 Dementia Research Group study. *BMC Geriatr.* 2017 Nov 7;17(1):261. doi: 10.1186/s12877-017-0647-5

46. Grassmann V, Alves MV, Santos-Galduróz RF, Galduróz JC. Possible Cognitive Benefits of Acute Physical Exercise in Children With ADHD: A Systematic Review. *J Atten Disord.* 2017;21(5):367-71. Doi: 10.1177/1087054714526041
47. Guarnieri RV, Buratto LG, Gomes CFA, Ribeiro RL, Souza AAL, Stein LM, Galduróz JCF, Bueno OFA. Haloperidol increases false recognition memory of thematically-related pictures in healthy volunteers. *Human Psychopharmacol Clin Exp.* 2017;32(1):e2563 doi: 10.1002/hup.2563
48. Hachul H, Polesel DN, Tufik S, Andersen ML. Face-to-face: The importance of the human factor in the treatment of insomnia. *J Affect Disord.* 2017;211:116-117. doi: 10.1016/j.jad.2017.01.015.
49. Hachul H, Polesel DN. Insomnia pharmacotherapy: a review of current treatment options for insomnia in menopause. *Curr Sleep Med Rep.* 2017;3(4):299-305. Doi: 10.1007/s40675-017-0090-3. Disponível em: https://link.springer.com/epdf/10.1007/s40675-017-0090-3?author_access_token=fVgia2NXELYuKEZSEfHd4_e4RwlQNchNByi7wbcMAY70Wskf2W3YFZxY_gaBKGTuznC_rhcPe-viW3fmnHheOGup9Nc_Yyif1A40JCYuVxXqrB8sY8S4os-8I9cB2Pjyk1xUguQObJCalc3C6xFSdQ%3D%3D
50. Hirotsu C, Albuquerque RG, Nogueira H, Hachul H, Bittencourt L, Tufik S, Andersen ML. The relationship between sleep apnea, metabolic dysfunction and inflammation: the gender influence. *Brain Behav Immun.* 2017;59:211-8. Doi: 10.1016/j.bbi.2016.09.005
51. Hirotsu C, Soterio-Pires JH, Tufik S, Andersen ML. Sleep disturbance and sexual dysfunction in postmenopausal women. *Int J Impotence Res.* 2017;29(3):126. doi:10.1038/ijir.2017.1
52. Iftikhar IH, Bittencourt LRA, Youngstedt S, Ayas N, Cistulli P, Schwab RJ, Durkin M, Magalang UJ. Comparative efficacy of CPAP, MADs, exercise-training and dietary weight loss for sleep apnea: a network meta-analysis. *Sleep Med.* 2017;30:7-14. Doi: 10.1016/j.sleep.2016.06.001
53. Kim LJ, Tufik S, Andersen ML. Sleep awareness and education among clinical practitioners. *Clin Med.* 2017;17(4):380. doi: 10.7861/clinmedicine.17-4-380.
54. Kishi A, Van Dongen HP, Natelson BH, Bender AM, Palombini LO, Bittencourt L, Tufik S, Ayappa I, Rapoport DM. Sleep continuity is positively correlated with sleep duration in laboratory nighttime sleep recordings. *PLoS One.* 2017;12(4):e0175504. doi: 10.1371/journal.pone.0175504.
55. Leite Filho CA, Silva FFD, Pradella-Hallinan M, Xavier SD, Miranda MC, Pereira LD. Auditory behavior and auditory temporal resolution in children with sleep-disordered breathing. *Sleep Med.* 2017;34:90-5. Doi: 10.1016/j.sleep.2017.03.009
56. Lima C, Arida RM, Andersen ML, Polesel DN, de Alvarenga TAF, Vancini RL, Matos G, Tufik S. Effects of acute physical exercise in the light phase of sleep in rats with temporal lobe epilepsy. *Epilepsy Res.* 2017;136:54-61. Doi: 10.1016/j.epilepsyres.2017.07.012
57. Lira FS, De Aquino Lemos V, Bittar IG, Caris AV, Dos Santos RV, Tufik S, Moura Zagatto A, De Souza CT, Pimentel GD, De Mello MT. Physiological and cytokine response to acute

- exercise under hypoxic conditions: a study pilot. *J Sports Med Phys Fitness*. 2017;57(4):461-8. doi: 10.23736/S0022-4707.16.06073-X.
58. Machado MP, Opaleye DC, Pereira TV, Padilla I, Noto AR, Prince M, Ferri CP. Alcohol and tobacco consumption concordance and its correlates in older couples in Latin America. *Geriatr Gerontol Int*. 2017;17(11):1849-57. Doi: 10.1111/ggi.12974
 59. Machado RB, Rocha MR, Suchecki D. Brain prolactin is involved in stress-induced REM sleep rebound. *Horm Behav*. 2017;89:38-47. Doi: 10.1016/j.yhbeh.2016.12.004
 60. Machado P, Caris A, Santos S, Silva E, Oyama L, Tufik S, Santos R. Moderate exercise increases endotoxin concentration in hypoxia but not in normoxia: A controlled clinical trial. *Medicine (Baltimore)*. 2017 Jan;96(4):e5504. doi: 10.1097/MD.0000000000005504
 61. Marchi NC, Scherer JN, Pachado MP, Guimarães LS, Siegmund G, de Castro MN, Halpern S, Benzano D, Formigoni ML, Cruz M, Pechansky F, Kessler FH. Crack-cocaine users have less family cohesion than alcohol users. *Rev Bras Psiquiatr*. 2017;39(4):361. doi:10.1590/1516-4446-2016-2091
 62. Marques M, Genta PR, Sands SA, Azarbazin A, De Melo C, Taranto-Montemurro L, White DP, Wellman A. Effect of sleeping position on upper airway patency in Obstructive Sleep Apnea is determined by the pharyngeal structure causing collapse. *Sleep*. 2017;40(3):1-8. Doi: 10.1093/sleep/zsx005
 63. Martinelli EO, Haddad FLM, Stefanini R, Moreira GA, Rapoport PB, Gregório LC, Tufik S, Bittencourt LRA. Clinicals and upper airway characteristics in obese children with obstructive sleep apnea. *Sleep Sci*. 2017;10(1):1-6. Doi: 10.5935/1984-0063.20170001
 64. Matsuzaka CT, Christofolini D, Ota VK, Gadelha A, Berberian AA, Noto C, Mazzotti DR, Spindola LM, Moretti PN, Smith MA, Melaragno MI, Belangero SI, Bressan RA. Catechol-O-methyltransferase (COMT) polymorphisms modulate working memory in individuals with schizophrenia and healthy controls. *Rev Bras Psiquiatr*. 2017;39(4):302-8. doi:10.1590/1516-4446-2016-1987
 65. Maurya PK, Rizzo LB, Xavier G, Tempaku PF, Zeni-Graiff M, Santoro ML, Mazzotti DR, Zugman A, Pan P, Noto C, Maes M, Asevedo E, Mansur RB, Cunha GR, Gadelha A, Bressan RA, Belangero SI, Brietzke E. Shorter leukocyte telomere length in patients at ultra high risk for psychosis. *Eur Neuropsychopharmacol*. 2017;27(5):538-42. Doi: 10.1016/j.euroneuro.2017.02.008
 66. Mick I, Ramos AC, Myers J, Stokes PR, Chandrasekera S, Erritzoe D, Mendez MA, Gunn RN, Rabiner EA, Searle GE, Galduróz JC, Waldman AD, Bowden-Jones H, Clark L, Nutt DJ, Lingford-Hughes AR. Evidence for GABA-A receptor dysregulation in gambling disorder: correlation with impulsivity. *Addict Biol*. 2017;22(6):1601-9. doi: 10.1111/adb.12457.
 67. Minari ALA, Oyama LM, Dos Santos RVT. The Secretory Leukocyte Protease Inhibitor mRNA expression is involved with inflammatory control after downhill exercise in the triceps brachii intermediary head in Wistar rats. *J Muscle Res Cell Motil*. 2017;38(2):231-9. doi: 10.1007/s10974-017-9475-7.

68. Mônico-Neto M, Dáttilo M, Ribeiro DA, Lee KS, de Mello MT, Tufik S, Antunes HKM. REM sleep deprivation impairs muscle regeneration in rats. *Growth Factors*. 2017;35(1):12-18. doi: 10.1080/08977194.2017.1314277
69. Morais RL, Hilzendeger AM, Visniauskas B, Todiras M, Alenina N, Mori MA, Araújo RC, Nakaie CR, Chagas JR, Carmona AK, Bader M, Pesquero JB. High aminopeptidase A activity contributes to blood pressure control in ob/ob mice by AT2 receptor-dependent mechanism. *Am J Physiol Heart Circ Physiol*. 2017;312(3):H437-H445. doi: 10.1152/ajpheart.00485.2016.
70. Moreira GA, Pradella-Hallinan M. Sleepiness in Children: An Update. *Sleep Med Clin*. 2017 Sep;12(3):407-413. doi: 10.1016/j.jsmc.2017.03.013.
71. Müller CJ, Quintino-Dos-Santos JW, Schimitel FG, Tufik S, Beijamini V, Canteras NS, Schenberg LC. On the verge of a respiratory-type panic attack: selective activations of rostralateral and caudoventrolateral periaqueductal gray matter following short-lasting escape to a low dose of potassium cyanide. *Neuroscience*. 2017;348:228-40. doi: 10.1016/j.neuroscience.2017.02.022.
72. Muszkat M. Poor school performance: importance of child self-report. *Rev Paul Pediatr*. 2017 Oct-Dec;35(4):366. doi: 10.1590/1984-0462/;2017;35;4;00017.
73. Nascimento MA, Lira FS, Punaro GR, De Mello MT, Tufik S, Higa EMS. Short-term l-arginine supplementation attenuates elevation of interleukin 6 level after resistance exercise in overweight men. *Clin Nutr ESPEN*. 2017;22:43-7. Doi: 10.1016/j.clnesp.2017.09.001
74. Nicolau ZFM, Bezerra AG, Polesel DN, Andersen ML, Tufik S, Hachul H. Plasma Leptin and Premenstrual Syndrome: A Review. *Obstet Gynecol Surv*. 2017 Nov;72(11):659-662. doi: 10.1097/OGX.0000000000000502.
75. Nozoe KT, Kim LJ, Polesel DN, Hirotsu C, Souza AL, Hachul H, Tufik SB, Tufik S, Andersen ML, Moreira GA. Sleep pattern and spectral analysis of caregiver-mothers of sons with Duchenne Muscular Dystrophy, and an examination of differences between carrier and non-carriers. *Sleep Med*. 2017;32:114-31. Doi: 10.1016/j.sleep.2016.11.020
76. Nunes RA, Mazzotti DR, Hirotsu C, Andersen ML, Tufik S, Bittencourt LRA. The association between caffeine consumption and objective sleep variables is dependent on ADORA2A c.1083T>C genotypes. *Sleep Med*. 2017;30:210-5. Doi: 10.1016/j.sleep.2016.06.038
77. Oliveira AB, Bachi ALL, Ribeiro RT, Mello MT, Tufik S, Peres MFP. Unbalanced plasma TNF- α and IL-12/IL-10 profile in women with migraine is associated with psychological and physiological outcomes. *J Neuroimmunol*. 2017;313:138-44. Doi: 10.1016/j.jneuroim.2017.09.008
78. Oliveira DL, Hirotsu C, Tufik S, Andersen ML. The interfaces between vitamin D, sleep and pain. *J Endocrinol*. 2017;234(1):R23-R36. doi: 10.1530/JOE-16-0514.
79. Oliveira E, Visniauskas B, Tufik S, Andersen M, Chagas J, Campa A. Serum amyloid A production is triggered by sleep deprivation in mice and humans: Is that the link to obesity? *Nutrients*. 2017; 9:311. doi:10.3390/nu9030311

80. Oliveira GDP, Vago ERL, Prado GFD, Coelho FMS. The critical influence of nocturnal breathing complaints on the quality of sleep after stroke: the Pittsburgh Sleep Quality Index and STOP-BANG. *Arq Neuropsiquiatr.* 2017;75(11):785-8. doi: 10.1590/0004-282X20170137
81. Oliveira-Lima AJ, Marinho EAV, Santos-Baldaia R, Hollais AW, Baldaia MA, Talhati F, Ribeiro LT, Wuo-Silva R, Berro LF, Frussa-Filho R. Context-dependent efficacy of a counter-conditioning strategy with atypical neuroleptic drugs in mice previously sensitized to cocaine. *Progr Neuropsychopharmacol Biol Psychiatry.* 2017;73:49-55. Doi: 10.1016/j.pnpbp.2016.10.004
82. Orsi KCSC, Avena MJ, Pradella-Hallinan MLC, Pedreira MLG, Tsunemi MH, Avelar AFM, Pinheiro EM. Effects of handling and environment on preterm newborns sleeping in incubators. *J Obstet Gynecol Neonatal Nurs.* 2017;46(2):238-47. Doi: 10.1016/j.jogn.2016.09.005
83. Passos GS, Santana MG, Poyares D, D'Aurea CVR, Teixeira AAS, Tufik S, De Mello MT. Chronotype and anxiety are associated in patients with chronic primary insomnia. *Rev Bras Psiquiatria.* 2017;39(2):183-6. doi:10.1590/1516-4446-2016-2007
84. Patricio RR, Soares JC, Oliveira MG. M1 muscarinic receptors are necessary for retrieval of remote context fear memory. *Physiol Behav.* 2017;169:202-7. Doi:10.1016/j.physbeh.2016.12.008
85. Pedroni MN, Hirotsu C, Porro AM, Tufik S, Andersen ML. The role of sleep in pemphigus: a review of mechanisms and perspectives. *Arch Dermatol Res.* 2017;309(8):659-64. Doi: 10.1007/s00403-017-1765-9
86. Pereira Jr JC, Pradella-Hallinan M, Alves RC. Secondary to excessive melatonin synthesis, the consumption of tryptophan from outside the blood-brain barrier and melatonin oversignaling in the pars tuberalis may be central to the pathophysiology of winter depression. *Med Hypotheses.* 2017;98:69-75. Doi: 10.1016/j.mehy.2016.11.020
87. Perez Diaz M, Andersen ML, Rice KC, Howell LL. Effects of a Serotonin 2C Agonist and a 2A Antagonist on Actigraphy-Based Sleep Parameters Disrupted by Methamphetamine Self-Administration in Rhesus Monkeys. *Neuropsychopharmacology.* 2017;42(7):1531-8. doi:10.1038/npp.2016.280.
88. Perucha VFR, de Aquino RC, Gaspareto N, Guerra-Shinohara EM, Amorim PMS, D'Almeida V. Folate and synthetic folic acid intake, serum B vitamin and homocysteine concentrations, and cognitive impairment in elderly Brazilians. *J Aging Res Clin Practice.* 2017;6:48-55. Doi: 10.14283/jarcp.2017.5
89. Pino JMV, da Luz MHM, Antunes HKM, Giampá SQC, Martins VR, Lee KS. Iron-Restricted Diet Affects Brain Ferritin Levels, Dopamine Metabolism and Cellular Prion Protein in a Region-Specific Manner. *Front Mol Neurosci.* 2017 May 17;10:145. doi: 10.3389/fnmol.2017.00145.
90. Pinski I, Noto AR, Moraes MCB, Santos EL, Sparks R, O'Brien K. Alcohol industry sponsorship of university student sports clubs in Brazil. *J Studies Alcohol Drugs.* 2017;78(2):306-12. doi: 10.15288/jsad.2017.78.306

91. Piovezan RD, Kase C, Moizinho R, Tufik S, Poyares D. Gabapentin acutely increases the apnea-hypopnea index in older men: data from a randomized, double-blind, placebo-controlled study. *J Sleep Res.* 2017;26(2):166-70. doi: 10.1111/jsr.12495
92. Piovezan RD, Hirotsu C, Feres MC, Cintra FD, Andersen ML, Tufik S, Poyares D. Obstructive sleep apnea and objective short sleep duration are independently associated with the risk of serum vitamin D deficiency. *PLoS One.* 2017 Jul 7;12(7):e0180901. doi: 10.1371/journal.pone.0180901
93. Polesel DN, Nozoe KT, Tufik S, Andersen ML, Hachul H. Lack of sleep can jeopardize vaccine effectiveness. *Am J Infect Control.* 2017;45(1):96-97. doi: 10.1016/j.ajic.2016.10.003.
94. Polesel DN, Nozoe KT, Sanchez ZM, Prado MCO, Bittencourt L, Tufik S, Andersen ML, Hachul H. The follicle-stimulating hormone as best classifier for diagnosis of natural menopause. *J Gynecol Surg.* 2017;33(6):236-42. Doi: 10.1089/gyn.2017.0040
95. Poloni S, Spritzer PM, Mendes RH, D'Almeida V, Castro K, Sperb-Ludwig F, Kugele J, Tucci S, Blom HJ, Schwartz IVD. Leptin concentrations and SCD-1 indices in classical homocystinuria: Evidence for the role of sulfur amino acids in the regulation of lipid metabolism. *Clin Chim Acta.* 2017;473:82-8. Doi: 10.1016/j.cca.2017.08.005
96. Rodrigues DF, Silva A, Rosa JPP, Ruiz FS, Veríssimo AW, Winckler C, Rocha EA, Parsons A, Tufik S, de Mello MT. Profiles of mood states, depression, sleep quality, sleepiness, and anxiety of the Paralympic athletics team: A longitudinal study. *Apunts.* 2017;52(195):93-101. Doi: 10.1016/j.apunts.2016.11.002
97. Ruiz FS, Andersen ML, Guindalini C, Araújo LP, Lopes JD, Tufik S. Sleep influences the immune response and rejection process alters sleep pattern: evidence from a skin allograft model in mice. *Brain Behav Immun.* 2017;61:274-88. Doi:10.1016/j.bbi.2016.12.027
98. Santana MG, Passos GS, Boscolo RA, Viana VR, Grassmann V, Tufik S, De Mello MT. Does Obstructive Sleep Apnea impact the sleep quality, physical capacity, mood and quality of life of elderly lean men? *Sleep Med Disord Int J* 2017;1(3):00014. Doi: 10.15406/smdij.2017.01.00014
99. Santos TB, Soares JCK, Favaro VM, Oliveira MGM. Involvement of the prelimbic cortex in contextual fear conditioning with temporal and spatial discontinuity. *Neurobiol Learn Mem.* 2017;144:1-10. Doi: 10.1016/j.nlm.2017.05.003
100. Scorza FA, Tufik S, Scorza CA, Andersen ML, Cavalheiro EA. Sudden unexpected death in Parkinson's disease (SUDPAR): sleep apnea increases risk of heart attack. *Sleep Breath.* 2017;21(4):965-6. Doi: 10.1007/s11325-017-1511-8
101. Siegler M, Frange C, Andersen ML, Tufik S, Hachul H. Effects of Bach flower remedies on menopausal symptoms and sleep pattern: a case report. *Alternat Ther Health Med.* 2017;23(2):44-48.
102. Siervo GE, Ogo FM, Valério AD, Silva TN, Staurengo-Ferrari L, Alvarenga TA, Cecchini R, Verri WA, Guarnier FA, Andersen ML, Fernandes GS. Sleep restriction in Wistar rats impairs epididymal postnatal development and sperm motility in association with oxidative stress. *Reprod Fertil Dev.* 29(9):1813-20. doi: 10.1071/RD15535

103. Silva BC, Santos RSS, Drager LF, Coelho FM, Elias RM. Impact of Compression Stockings vs. Continuous Positive Airway Pressure on overnight fluid shift and Obstructive Sleep Apnea among patients on hemodialysis. *Front Med (Lausanne)*. 2017 May 19;4:57. doi: 10.3389/fmed.2017.00057.
104. Silva LC, Viana MB, Andrade JS, Souza MA, Céspedes IC, D'Almeida V. Tryptophan overloading activates brain regions involved with cognition, mood and anxiety. *An Acad Bras Cienc*. 2017;89(1):273-83. doi: 10.1590/0001-3765201720160177.
105. Silva-Batista C, Mattos EC, Corcos DM, Wilson JM, Heckman CJ, Kanegusuku H, Piemonte ME, de Mello MT, Forjaz CL, Roschel H, Tricoli VA, Ugrinowitsch C. Resistance training with instability is more effective than resistance training in improving spinal inhibitory mechanisms in Parkinson's disease. *J Appl Physiol*. 2017;122(1):1-10. DOI: 10.1152/jappphysiol.00557.2016
106. Silva-Batista C, Corcos DM, Barroso R, David FJ, Kanegusuku H, Forjaz C, de Mello MT, Roschel H, Tricoli V, Ugrinowitsch C. Instability Resistance Training Improves Neuromuscular Outcome in Parkinson's Disease. *Med Sci Sports Exerc*. 2017;49(4):652-60. doi: 10.1249/MSS.0000000000001159
107. Silva-Batista C, Brito LC, Corcos DM, Roschel H, De Mello MT, Piemonte MEP, Tricoli V, Ugrinowitsch C. Resistance training improves sleep quality in subjects with moderate Parkinson's Disease. *J Strength Cond Res*. 2017;31(8):2270-7. doi: 10.1519/JSC.0000000000001685
108. Siqueira JT, Camparis CM, de Siqueira SR, Teixeira MJ, Bittencourt L, Tufik S. Effects of localized versus widespread TMD pain on sleep parameters in patients with bruxism: A single-night polysomnographic study. *Arch Oral Biol*. 2017;76:36-41. doi: 10.1016/j.archoralbio.2016.06.027.
109. Siqueira US, Orsini Valente LG, de Mello MT, Szejnfeld VL, Pinheiro MM. Effectiveness of Aquatic Exercises in Women With Rheumatoid Arthritis: A Randomized, Controlled, 16-Week Intervention-The HydRA Trial. *Am J Phys Med Rehabil*. 2017;96(3):167-175. doi: 10.1097/PHM.0000000000000564
110. Soterio-Pires JH, Hirotsu C, Kim LJ, Bittencourt L, Tufik S, Andersen ML. The interaction between erectile dysfunction complaints and depression in men: a cross-sectional study about sleep, hormones and quality of life. *Int J Impot Res*. 2017;29(2):70-5. doi:10.1038/ijir.2016.49
111. Souza JFT, Dáttilo M, de Mello MT, Tufik S, Antunes HKM. High-intensity interval training attenuates insulin resistance induced by sleep deprivation in healthy males. *Front Physiol*. 2017 Dec 7;8:992. doi: 10.3389/fphys.2017.00992. eCollection 2017
112. Souza RT, Campanharo FF, Araujo Júnior E, Moreira GA, Mazzotti DR, Mattar R, Moron AF, Coelho FM. Challenges in congenital central hypoventilation syndrome (Ondine's curse) on pregnancy: a case report. *J Obstet Gynaecol*. 2017;37(1):107-108. doi: 10.1080/01443615.2016.1233944
113. Souza-Talarico JN, Marcourakis T, Barbosa F Jr, Moraes Barros SB, Rivelli DP, Pompeia S, Caramelli P, Plusquellec P, Lupien SJ, Catucci RF, Alves AR, Suchecki D. Association between heavy metal exposure and poor working memory and possible mediation effect of antioxidant

defenses during aging. *Sci Total Environ.* 2017;575:750-7.
Doi:10.1016/j.scitotenv.2016.09.121

114. Souza-Talarico JN, Suchecki D, Juster RP, Plusquellec P, Barbosa Junior F, Bunscheit V, Marcourakis T, de Matos TM, Lupien SJ. Lead exposure is related to hypercortisolemic profiles and allostatic load in Brazilian older adults. *Environ Res.* 2017;154:261-268. doi: 10.1016/j.envres.2017.01.012.
115. Stein AT, Ferri CP. Innovation and achievement for primary care in Brazil: new challenges. *BJGP Open* 18 April 2017. DOI: <https://doi.org/10.3399/bjgpopen17X100857>
116. Suchecki D, Elias CF. Editorial: Neuropeptides and behavior: from motivation to psychopathology. *Front Endocrinol (Lausanne).* 2017 Aug 25;8:210. doi: 10.3389/fendo.2017.00210.
117. Tanaka MN, Santos STS, Gouveia M, Santos Filho M, Cosentino IC, Barbosa Neto JB, Tufik S, Matos JR, Mercuri LP. Encapsulation study of citalopram and risperidone into nanostructured silica SBA-15 for in vitro release evaluation. *J Therm Anal Calorim.* 2017;127(2):1725-32. Doi: 10.1007/s10973-016-5995-4
118. Tempaku PF, Arruda JR, Mazotti DR, Gonçalves BSB, Pedrazzoli M, Bittencourt L, Tufik S. Characterization of bimodal chronotype and its association with sleep: a population-based study. *Chronobiol Int.* 2017;34(4):504-10. Doi: 10.1080/07420528.2017.1306707
119. Tempaku PF, Tufik S, Hirotsu C. Commentary: Stress signal network between hypoxia and ER stress in chronic kidney disease. *Front Physiol.* 2017;8:243. doi: 10.3389/fphys.2017.00243
120. Truzzi GM, Cremaschi RC, Tufik S, Coelho FM. Human hypocretin-deficient narcolepsy - aberrant food choice due to impaired taste? *Sleep Sci.* 2017;10(2):78-9. doi: 10.5935/1984-0063.20170014
121. Tufik S, Pires GN, Kim LJ, Tempaku P, Albuquerque R, Andersen ML. Revisão sistemática sobre a epidemiologia das doenças cardiovasculares e respiratórias e suas associações com a poluição do ar em Vitória/ES. *Clin Biomed Res.* 2017;37(2):97-124. doi: 10.4322/2357-9730.70489
122. Viana GM, do Nascimento CC, Paredes-Gamero EJ, D'Almeida V. Altered Cellular Homeostasis in Murine MPS I Fibroblasts: Evidence of Cell-Specific Physiopathology. *JIMD Rep.* 2017;36:109-16. Doi: 10.1007/8904_2017_5
123. Vicente SECF, Corgosinho FC, Campos RMS, Masquio DCL, Silva LO, Kravchychyn ACP, Sanches PL, Ganen AP, Oyama LM, Tock L, Tufik S, De Mello MT, Dâmaso AR. The impact of adiponectin levels on biomarkers of inflammation among adolescents with obesity. *Obesity Med.* 2017;5:4-10. Doi: 10.1016/j.obmed.2016.12.002
124. Vieira PM, Kim LJ, Tufik S, Coelho FM. On the importance of polysomnography after stroke. *Sleep Breath.* 2017;21(2):483-4. doi: 10.1007/s11325-016-1423-z.
125. Zimberg IZ, Melo CM, Del Re M, Santos MV, Crispim SA, Lopes TVC, Tufik S, De Mello MT. Relação entre Apneia Obstrutiva do Sono e obesidade: uma revisão sobre aspectos

endócrinos, metabólicos e nutricionais. Rev Bras Obesidade Nutr Emagrecimento. 2017;11(64):250-60.